

Pubblicazioni di Enrico Iacopini
(solitamente pubblicazioni a firma multipla)

1. Remarks on some nonunitary representations of the Poincare group
Il Nuovo Cimento 18A, 1973, 205-236
2. Measurement of the 2S1/2-2P1/2 splitting in the muonic ion
Phys. Lett. 73B, 1978, 229-231
3. Experimental method to detect the vacuum birefringence induced by a magnetic field
Phys. Lett. 85B, 1979, 151-154
4. Birefringence induced by gravitational waves: a suggestion for a new detector
Phys. Lett. 73A, 1979, 140-142
5. Muonic X-rays and muon capture in low pressure Argon
Phys. Lett. 96B, 1980, 206-208
6. On a sensitive ellipsometer to detect the vacuum polarization induced by a magnetic field
Il Nuovo Cimento 61B, 1981, 21-37
7. A new measurement of the muon transfer rate from muonic hydrogen to argon
Il Nuovo Cimento 67A, 1982, 201-210
8. Measurement of the magnetic birefringence in oxygen and nitrogen gases
Optics Communications 42, 1982, 104-108
9. Digital techniques applied to phase-sensitive detection
Journal of Physics E 16, 1983, 844-847
10. Vacuum polarization effects in the mu-He atom and the Born-Infeld electromagnetic theory
Il Nuovo Cimento 78B, 1983, 38-52
11. Effects of a magnetic field on the optical properties of dielectric mirrors
Appl. Phys. 32A, 1983, 63-67
12. Measurement of the magnetic birefringence of noble gases
J. Opt. Soc. Am. 1B, 1984, 635-640
13. Photon-photon interaction detection via the vacuum birefringence induced by a magnetic field:
status of the experiment
Fund. Inter. in low energy systems, Plenum Publ. Comp. 1985, 381-403
14. Atom size of rare gases from their magnetic birefringence
Lett. Nuovo Cimento 42, 1985, 204-208
15. Measurement of the Kerr constant of He, A, O₂, N₂, H₂ and D₂
Il Nuovo Cimento 5D, 1985, 328-338
16. Properties of an optical phase-shifter made of two gold mirrors
Appl. Phys. 36B, 1985, 125-131

17. Magnetic birefringence measurement in hydrogen and deuterium gases
J. Chem.Phys. 85, 1986, 1789-1794
18. Result of a 100 MHz FADC system built in Fastbus used by the UA2 vertex detector
Nucl. Instr. and Meth. 252A, 1986, 590-595
19. Galileo's experiment on free falling bodies using modern optical techniques
Phys. Lett. 116A, 1986, 157-161
20. Measurement of the standard model parameters from a study of W and Z bosons
Phys. Lett. 186B, 1987, 440-451
21. Search for decays of the W and Z bosons into quarks-antiquark pairs
Phys. Lett. 186B, 1987, 452-460
22. Measurement of W and Z production properties at the CERN p-pbar collider
Phys. Lett. 194B, 1987, 158-166
23. Jet measures and hadronic event shapes at the CERN p-pbar collider
Z. Phys. 36C, 1987, 175-187
24. Search for exotic processes at the CERN p-pbar collider
Phys. Lett. 195B, 1987, 613-622
25. In pursuit of the fifth force
Nature 328, 1987, 578-579
26. Proposal to measure possible violations of the g-universality at the 10-10 level of accuracy on the Earth's surface
Fund. Symm., Plenum Press Comp. 1987, 51-54
27. Galileo's experiment to detect departures from g-universality on the Earth
Proc. XXIII Moriond Workshop on neutrino and exotics, 1988, 523-529
28. Direct photon production in p-pbar collision at sqrt(s)=630 GeV
Z. Phys. 41C, 1988, 395-404
29. Measurement of the strong coupling alphas from a study of W bosons produced in association with jets
Phys. Lett. 215B, 1988, 175-185
30. The ellipticity introduced by interferential mirrors on a linearly polarized light beam orthogonally reflected
Appl. Phys. 48B, 1989, 231-234
31. Performance of the UA2 jet vertex detector at the CERN collider
Nucl. Instrum. and Meth. 283A, 1989, 532-538
32. A search for squark and gluino production at the CERN p-pbar collider
Phys. Lett. 235B, 1990, 363-372
33. Search for top quark production at the CERN p pbar collider
Z. Phys. 46C, 1990, 179-189

34. Search for scalar electrons and winos at the CERN p-pbar collider
Phys. Lett. 238B, 1990, 442-450
35. A precise determination of the W and Z masses at the CERN p-pbar collider
Phys. Lett. 241B, 1990, 150-164
36. The Casimir effect in a cofocal optical resonator
Symmetry in Nature, SNS 1989, 445-456
37. Measurement of W and Z production cross sections at the CERN p-pbar collider
Z. Phys. 47C, 1990, 11-22
38. Measurement of the transverse momentum distributions of W and Z bosons at the CERN p-pbar collider
Z. Phys. 47C, 1990, 523-531
39. Tracking with scintillating fibres for electron identification at the LHC
Large hadron collider Workshop, Aachen 1990, Vol III, 424-427
40. A measurement of two-jet decays of the W and Z bosons at the CERN p-pbar collider
Z. Phys. 49C, 1991, 17-28
41. Inclusive jet cross-section and search for quark compositeness at the CERN p-pbar collider
Phys. Lett. 257B, 1991, 232-240
42. A measurement of the direct photon production cross section at the CERN p-pbar collider
Phys. Lett. 263B, 1991, 544-550
43. A determination of the strong coupling constant alpha_s from W production at the CERN p-pbar collider
Phys. Lett. 263, 1991, 563-572
44. A measurement of electron-tau universality from decays of intermediate vector bosons at the CERN p-pbar collider
Z. Phys. 52C, 1991, 209-218
45. A study of multi-jet events at the CERN p-pbar collider and a search for double parton scattering
Phys. Lett. 268B, 1991, 145-154
46. A search for scalar leptoquarks at the CERN p-pbar collider
Phys. Lett. 274B, 1992, 507-512
47. A measurement of the W and Z production cross section and the determination of Gamma_W at the CERN p-pbar collider
Phys. Lett. 276B, 1992, 365-374
48. An improved determination of the ratio of W and Z masses at the CERN p-pbar collider
Phys. Lett. 276B, 1992, 354-364
49. Study of electron pair production below the Z mass at the CERN p-pbar collider
Phys. Lett. 275B, 1992, 202-208

50. Experimental limit on the decay W to π gamma at the CERN p-pbar collider
 Phys. Lett. 277B, 1992, 203-208
51. Direct measurement of the W-gamma coupling at the CERN p-pbar collider
 Phys. Lett. 277B, 1992, 194-202
52. A search for charged higgs from the top quark decay at the CERN p-pbar collider
 Phys. Lett. 280B, 1992, 137-145
53. A measurement of the single and double prompt photon production at the CERN p-pbar collider
 Phys. Lett. 288B, 1992, 386-394
54. Test of the g-universality with a Galileo's type experiment
 Phys. Rev. Lett. 69, 1992, 1722-1725
55. Preliminary results from the GAL experiment
 Proc. XXVII Moriond Conference on progress in atomic physics, neutrinos and gravitation,
 1992, 463-469
56. Casimir effect at macroscopic distances
 Phys. Rev. 48A, 1993, 129-131
57. Measurement of the gluon structure function from direct photon data at the CERN p-pbar
 collider
 Phys. Lett. 299B, 1993, 174-182
58. A search for new intermediate vector bosons and excited quarks decaying to two jets at the
 CERN p-pbar collider
 Nucl. Phys. 400B, 1993, 3-22
59. Characteristics and performances of an electromagnetic shower sampling calorimeter with
 wavelength shifting fibre readout
 Nucl. Instrum. and Meth. 336A, 1993, 510-520
60. Study of a possible scintillating fibre tracker at the LHC and tests of scintillating fibres
 Nucl. Instrum. and Meth. 336A, 1993, 521-532
61. Limits on the violation of g-universality with a Galileo-type experiment
 Phys. Lett. 183A, 1993, 355-358
62. PVLAS: vacuum birefringence and production and detection of nearly massless, weakly coupled
 particles by optical techniques
 Nucl. Phys. 35B, 1994, 180-182
63. A high stability light emitting diode system for monitoring lead glass electromagnetic
 calorimeters
 Nucl. Instr. and Meth. 372A,(18 Luglio 1995), 1996, 556-561
64. The electromagnetic calorimeter of the NOMAD experiment
 Nucl. Instr. and Meth. 373A,(13 novembre 1995),1996, 358-373
65. g-universality test with a Galileo's type experiment
 Il Nuovo Cimento 111B, 1996, 1259-1276

66. Test beam performance of the electromagnetic calorimeter of the NOMAD experiment
 Nucl. Instr. and Meth. 387A,(20 Luglio 1996) 352-364
67. Experimental method to detect the magnetic birefringence of vacuum
 Quantum Semiclass. Opt. 10, 1998, 239-250
68. The NOMAD experiment at the CERN SPS
 Nucl. Instr. and Meth. 404A,(17 Luglio 1997) 96-128
69. A study of the transverse fluctuations of hadronic showers in the NOMAD electromagnetic calorimeter
 Nucl. Instr. and Meth. 411A,(7 Dicembre 1997) 285-303
70. Search for a new gauge boson in pi0 decay
 PL 428B,(28 Maggio 1998) 197-205
71. A search for nu-mu -> nu-tau oscillations using the NOMAD detector
 PL 431B,(9 Luglio 1998) 219-236
72. Parametrization of e and gamma initiated showers in the NOMAD Lead-glass calorimeter
 NIM 425A,(5 Ottobre 1998) 188-209
73. Precision measurement of scaled momentum, charge multiplicity, and thrust in numu N and numubar N interactions
 PL 445B,(7 Gennaio 1999) 439-448
74. Direct search for light gluinos
 PL 446B,(21 Gennaio 1999) 117-124
75. A more sensitive search for nu-mu -> nu-tau oscillations in NOMAD
 PL 453B,(29 Aprile 1999) 169-186
76. Measurement of the decay rate and form factor alphaK in the decay KL -> e e gamma
 PL 458B,(15 Luglio 1999) 553-563
77. Precision measurement of the Csi0 mass and the branching ratios of the decays Csi0 -> Lambda gamma and Csi0 -> Sigma gamma
 Eur. Phys. J. 12C,(14 Ottobre 1999) 69-76
78. A new measurement of direct CP violation in two pion decays of the neutral Kaon
 PL 465B,(21 Ottobre 1999) 335-348
79. A high sensitivity investigation of Ks and neutral hyperon decays using a modified Ks beam
 Addendum 2 to Proposal P253 : 12 Dicembre 1999 CERN/SPSC 2000-002
80. Precision measurement of charged kaon decay parameters with an extended NA48 set up
 Addendum 3 to Proposal P253 : 25 Gennaio 2000 CERN/SPSC 2000-003
81. Limit on nu-e -> nu-tau oscillations from the NOMAD experiment
 PL 471B,(6 Gennaio 2000) 406-410
82. Search for a eV (pseudo)scalar penetrating particles in the SPS neutrino beam
 PL 479B,(27 Aprile 2000) 371-380

83. Updated results from the nu-tau appearance search in NOMAD
PL 483B,(22 Giugno 2000) 387-404
84. Neutrino production of opposite sign dimuons in the NOMAD experiment
PL 486B,(27 Luglio 2000) 35-48
85. Measurement of the Lambda polarization in nu-mu charged current interactions in the NOMAD experiment
Nucl. Phys. 588B,(4 Agosto 2000) 3-36
86. A new measurement of the branching ratio of $K_s \rightarrow \gamma\gamma$
PL 493B,(9 Novembre 2000) 29-35
87. Observation of the decay $K_S \rightarrow \pi^+ \pi^- e^+ e^-$
PL 496B,(28 Dicembre 2000) 137-144
88. Inclusive production of rho0(770), f0(980) and f2(1270) mesons in nu-mu charged current interactions
Nucl. Phys. 601B,(22 Gennaio 2001) 3-23
89. Measurement of the Anti-Lambda polarization in nu-mu charged current interactions in the NOMAD experiment
Nucl. Phys. 605B,(4 Aprile 2001) 3-23
90. Search for heavy neutrinos mixing with tau neutrinos
PL 506B,(3 Maggio 2001) 27-38
91. A study of backward going protons and negative pions in nu-muCC interaction with the NOMAD detector
Nucl. Phys. 609B,(18 Giugno 2001) 255-279
92. Final NOMAD results on nu-mu-> nu-tau and nu-e -> nu-tau oscillations including a new search for nu-tau appearance using hadronic tau decays
Nucl. Phys. 611B,(5 Luglio 2001) 3-39
93. Search for the decay $K_S \rightarrow \pi^0 e^+ e^-$
PL 514B,(16 Agosto 2001) 253-262
94. Measurement of the quadratic slope parameter in the $K_L \rightarrow 3\pi^0$ decay Dalitz plot
PL 515B,(30 Agosto 2001) 261-268
95. A study of strange particle production in nu-mu charged current interactions in the NOMAD experiment
Nucl. Phys. 621B,(14 Novembre 2001),2002,3-34
96. A precise measurement of the direct CP violation parameter $\text{Re}(e'/e)$
Eur. Phys. J. 22C,(21 Novembre 2001) 231-254
97. Study of the D^{*+} production in nu-mu charged current interactions in the NOMAD experiment
Phys. Lett. 526B,(19 Dicembre 2001),2002, 278-286
98. New result on a search for a 33.9 MeV/c² neutral particle from π^+ decay in the NOMAD experiment
Phys. Lett. 527B,(18 Dicembre 2001),2002, 23-28

99. New measurements of the eta and K0 masses
 Phys. Lett. 533B,(11 Marzo 2001),2002, 196-206
100. Precise measurement of the decay $KL \rightarrow \pi 0 \gamma \gamma$
 Phys. Lett. 536B,(26 Aprile 2002),2002, 229-240
101. A measurement of the KS lifetime
 Phys. Lett. 537B,(24 Aprile 2002),2002, 28-40
102. A precision measurement of direct CP violation in the decay of neutral Kaons into two pions
 Phys. Lett. 544B,(25 Luglio 2002),2002, 97-112
103. Precise measurements of the KS to gamma gamma and KL to gamma gamma decay rates
 Phys. Lett. 551B,(21 Ottobre 2002),2002, 7-15
104. Search for the decay KS in $\pi 0 \gamma \gamma$
 Phys. Lett. 556B,(22 Gennaio 2003),2003, 105-113
105. Investigation of KLS in $\pi^+ \pi^- e^+ e^-$ decays
 Eur. Phys. J. 30C,(25 Luglio 2003),2003, 33-49
106. Search for numu-nue oscillations in the NOMAD experiment
 Phys. Lett. 570B,(7 luglio 2003),2003,19-31
107. Prediction of neutrino fluxes in the NOMAD experiment
 Nuclear Instruments and Methods 515A,(2 luglio 2003),2003,800-828
108. Observation of the rare decay $KS \rightarrow \pi 0 e^+ e^-$
 Phys.Lett. 576B,(15 settembre 2003),2003, 43-54
109. First observation of the $KS \rightarrow \pi 0 \gamma \gamma$ decay
 Phys.Lett. 578B,(20 ottobre 2003),2004, 276-284
110. Measurement of the $Csi0 \rightarrow \Lambda \gamma$ decay asymmetry and branching fraction
 Phys.Lett. 584B,(14 gennaio 2004),2004, 251-259
111. Bose-Einstein correlations in charged current muon-neutrino interactions in the NOMAD experiment at CERN
 Nucl.Phys. 686B,(10 marzo 2004),2004, 3-28
112. Measurement of the branching ratio and form factors for the decay $KL \rightarrow \pi^+ \pi 0 e^- \nu$
 Phys. Lett. 595B,(23 giugno 2004),2004, 75-85
113. A study of strange particles produced in neutrino neutral current interactions in the NOMAD experiment
 Nucl.Phys. 700B,(22 settembre 2004),2004, 51-68
114. Observation of the rare decay $KS \rightarrow \pi 0 \mu^+ \mu^-$
 Phys. Lett. 599B,(25 agosto 2004),2004, 197-211
115. Measurement of the branching ratio of the decay $KL \rightarrow \pi^- e^+ \nu_e$ and extraction of the CKM parameter $|V_{us}|$
 Phys. Lett. 602B,(27 settembre 2004),2004, 41-51

116. Measurement of Ke3 form factors
Phys. Lett. 604B,(28 agosto 2004),2004, 1-10
117. Measurement of the radiative Ke3 branching ratio
Phys. Lett. 605B,(13 gennaio 2005),2005, 247-255
118. Search for CP violation in K0 -> 3pi0 decays
Phys. Lett. 610B,(24 marzo 2005),2005, 165-176
119. Measurement of the KL -> e+ e- e+ e- decay rate
Phys. Lett. 615B,(26 maggio 2005),2005, 31-38
120. A measurement of the CP-conserving component of the decay KS -> pi+ pi- pi0
Phys. Lett. 630B,(1 dicembre 2005),2005, 31-39
121. Observation of a cusp-like structure in the pai0-pai0 invariant mass distribution from K+- in pi+- pi0 pi0 decay and determination of the pai-pai scattering length
Phys. Lett. 633B (2006), 173-182
122. Search for direct CP violation in the decays K+- in 3 pi+-
Phys. Lett. 634B (2006), 474-482
123. Search for direct CP violation in k+- in pi+- pi0 pi0 decays
Phys. Lett. 638B (2006), 22-29
124. Measurement of the ratio Gamma(KL in pi+ pi-)/Gamma(KL in pi+- e+ neutrino) and extraction of the CP violation parameter |eta+-|
Phys. Lett. 645B (2007), 26-35
125. Measurement of the branching ratios of the decays Csi0 in Sigma+ e- antine and Csi0bar in Sigma+bar e+ nue
Phys. Lett. 645B (2007), 36-46
126. Measurement of the K0mu3 form factors
Phys. Lett. 647B (2007), 341-350
127. Production properties of the K*(892)+- vector mesons and their spin alignment os measured in the NOMAD experiment
Eur. Phys. J. 46C (2006), 69-79
128. The beam and detector for the NA48 neutral kaon CP violation experiment at CERN
Nucl. Instr. and Meth. In Phys. Res. 574° (2007) 433-471
129. Measurement of the Dalitz plot slope parameters of the K+- in pai+- pai+ pai- decay
Phys. Lett. 649B (2007) 349-358
130. First observation and branching fraction and decay parameter measurements of the weak radiative decay Csi0 in Lambda e+ e-
Phys. Lett. 650B (2007) 1-8
131. Determination of the relative decay rate (KS in pai e nu)/(KL in pai e nu)
Phys. Lett. 653B (2007), 145,150

132. Search for direct CP violating charge asymmetries in $K^{+/-}$ in $\pi^{+/-} \bar{\nu}_{e\mu}$ and $K^{+/-}$ in $\pi^{+/-} \pi^0 \pi^0$ decays
Eur. Phys. J. 52C (2007), 875-891
133. First observation and measurement of the decay $K^{+/-}$ in $\pi^{+/-} e^+ e^- \gamma$
Phys. Lett. 659B (2008), 493-499
134. Measurements of charged kaon semileptonic decay branching fractions $K^{+/-}$ in $\pi^0 \mu^{+/-} \nu_\mu$ and $K^{+/-}$ in $\pi^0 e^{+/-} \nu_e$ and their ratio
Eur. Phys. J. 50C (2007), 329-340
135. Measurements of charged kaon semileptonic decay branching fractions $K^{+/-}$ in $\pi^0 \mu^{+/-} \nu_\mu$ and $K^{+/-}$ in $\pi^0 e^{+/-} \nu_e$ and their ratio Erratum
Eur. Phys. J. 52C (2007), 1021-1023
136. Construction and test of a RICH prototype for the NA62 experiment
Nucl. Instr. and Meth. In Phys. Res. 593° (2008), 314-318
137. A precise measurement of the muon neutrino in nucleon inclusive charged current cross section off an isoscalar target in the energy range $2.5 < E_{\nu} < 40$ GeV by NOMAD
Phys. Lett. 660B (2008), 19-25
138. New high statistics measurement of $K\bar{K}$ decay form factors and $\pi\pi$ scattering phase shifts
Eur. Phys. J. 54C (2008), 411-423
139. The high intensity frontier
Phys. Rep. 434 (2006), 47-111
140. Precise measurement of the $K^{+/-}$ in $\pi^{+/-} e^+ e^-$ decay
Phys. Lett. 677B (2009), 246-254
141. A study of quasi-elastic muon neutrino and antineutrino scattering in the NOMAD experiment
Eur. Phys. J. 63C (2009), 353-381
142. Determination of the S-wave $\pi\pi$ scattering lengths from a study of $K^{+/-}$ in $\pi^{+/-} \pi^0 \pi^0$ decays
Eur. Phys. J. (2009) C 10052-009-1171-3
143. Empirical parametrization of the $K^{+/-}$ in $\pi^{+/-} \pi^0 \pi^0$ Dalitz plot
Phys. Lett. 686B (2010), 101-108
144. Measurement of the polarization of the $C\bar{s}i^0 (C\bar{s}i^0)$ hyperon beam by the NA48/1 experiment
Phys. Lett. 681B (2009), 406-412
145. Measurement of the Dalitz plot slope parameters of the $K^{+/-}$ in $\pi^{+/-} \pi^+ \pi^-$ decay
Phys. Lett. 649B (2007) 349-358
146. Search for the Theta⁺ resonance in the NOMAD experiment
Eur. Phys. J. 49C (2007), 499-510
147. Measurement of the direct emission and interference terms and search for CP violation in the decay $K^{+/-}$ in $\pi^{+/-} \pi^0 \gamma$
Eur. Phys. J. 68C (2010), 75-87

148. Pion-muon separation with a RICH prototype for the NA62 experiment
Nucl. Instr. and Meth. In Phys. Res. 621° (2010) 205-211
149. New precise measurement of the Csi0 in Lambda gamma and Csi0 in Sigma0 gamma decay asymmetries
Phys. Lett. 693B (2010), 241-248
150. Precise tests of low energy QCD from Ke4 decay properties
Eur. Phys. J. 70C (2010), 635-657
151. Precision measurement of the ratio BR(KS in pi+ pi- e+ e-)/BR(KL in pi+ pi- pi0_D)
Phys. Lett. 694B (2011), 301-309
152. New measurement of the K+- in pi+- mu+ mu- decay
Phys. Lett. 697B (2011), 107-115
153. A measurement of coherent neutral pion production in neutrino neutral current interactions in the NOMAD experiment
Phys. Lett. 682B (2009), 177-184
154. Test of the lepton flavour universality in the K+ in lepton+ neutrino decays
Phys. Lett. 698B (2011), 105-114
155. A search for single photon events in neutrino interactions
Phys. Lett. 706B (2012), 268-275
156. New measurements of the K+- in pi+ pi- e+- neutrino (Ke4) decay branching ratio and hadronic form factors
Phys. Lett. 715B (2012), 105-115
157. Precision measurement of the ratio of the charged kaon leptonic decay rates
Phys. Lett. 719B (2013), 326-336
158. Measurement of the branching ratio of the decay Csi0 in Sigma+ mu- numubar
Phys. Lett. 720B (2013), 105-110
159. A precision measurement of charm dimuon production in neutrino interactions from the NOMAD experiment
Nucl. Phys. 876B (2013), 339-375
160. Studies of the effects of CO2 contamination of the Neon gas radiator on the performance of the NA62 RICH detector
IEEE Trans. on Nucl. Sci. 60 (2013), 265-269
161. A ring imaging Cherenkov detector of the NA62 experiment at CERN
Nucl. Instr. and Meth. In Phys. Res. 732° (2013), 342-345
162. A new measurement of the K+- in pi+- gamma gamma decay at the NA48/2 experiment
Phys. Lett. 730B (2014), 141-148
163. Study of the K+- in pi+- gamma gamma decay by the NA62 experiment
Phys. Lett. 732B (2014) 65-74

164. Detailed study of the K⁺⁻ in pi0 pi0 e⁺⁻ neutrino (Ke_4 ^00) decay properties
JHEP08 (2014), 159
165. Search for the dark photon in pi0 decays
Phys. Lett. 746B (2015), 178-185
166. Measurement of the pi0 electromagnetic transition form factor slope
Phys. Lett. 768B (2017), 38-45
167. Searches for lepton number violation and resonances in k⁺⁻ in pi mu mu decays
Phys. Lett. 769B (2017), 67-76
168. The beam and detector of the NA62 experiment at CERN
2017 JINST 12 P05025
169. Search for heavy neutrinos in K⁺⁻ in mu⁺⁻ numu decays
Phys. Lett. 772B (2017), 712-718
170. Search for heavy neutral lepton production in K⁺ decays
Phys. Lett. 778B (2018), 137-145
171. Measurement of the form factors of charged kaon semileptonic decays
JHEP 2018 (2018) 150
172. First observation and study of the K⁺⁻ to pi⁺⁻ pi0 e⁺ e⁻ decay
Phys. Lett. 788B (2019), 552-561
173. First search for the K⁺ to pi⁺ nu nubar decay using the decay in flight technique
Phys. Lett. 791B (2019), 156-166
174. Search for production of an invisible dark photon in pi0 decays
JHEP 2019 (2019), 182
175. Searches for lepton number violating K⁺ decays
Phys. Lett. 797B (2019), 134794
176. Search for heavy neutral lepton production in K⁺ decays to positrons
Phys. Lett. 807B (2020), 135599
177. An investigation of the very rare K⁺ to pi⁺ nu nubar decay
JHEP 2020, 42
178. Search for pi0 decays to invisible particles
JHEP 2021, 201
179. Search for a feebly interacting particle X in the K⁺ to pi⁺ X decay
JHEP 2021, 058
180. Search for K⁺ decay to a muon and invisible particles
Phys. Lett. 816B (2021), 136259
181. Measurement of the very rare K⁺ to pi⁺ nu nubar decay
JHEP 2021, 93

182. Search for lepton number and flavour violation in K^+ and π^0 decays
Phys. Rev. Lett. 127 (2021), 131802